2025/10/26 18:22 1/2 Slurm Commands

### **Slurm Commands**

## **Start Jobs**

#### srun

This is the simplest way to run a job on a cluster. Initiate parallel job steps within a job or start an interactive job (with -pty).

#### salloc

Request interactive jobs/allocations. When the job is started a shell (or other program specified on the command line) it is started on the submission host (Frontend). From this shell you should use srun to interactively start a parallel applications. The allocation is released when the user exits the shell.

#### sbatch

Submit a batch script. The script will be executed on the first node of the allocation. The working directory coincides with the working directory of the sbatch directory. Within the script one or multiple srun commands can be used to create job steps and execute parallel applications.

# **Examples**

```
# General:
sbatch --job-name=$jobname -N <num_nodes> --ntasks-per-node=<ppn>
/path/to/sbatch.script.sh

# A start date/time can be set via the --begin parameter:
--begin=16:00
--begin=now+1hour
--begin=now+60 (seconds by default)
--begin=2010-01-20T12:34:00
```

For more information see man sbatch. All parameters used there can also be specified in the job script itself using #SBATCH.

## Check the status of your own jobs

squeue

#### Check the status of the nodes

sinfo

# **Canceling jobs**

On allocation, you will be notified of the job ID. Also, within your scripts and shells (if allocated via salloc) you can get the ID via the \$SLURM\_JOBID environment variable. You can use this ID to cancel your submission:

scancel <jobid>

From:

https://hpc.tu-berlin.de/ - HPC-Cluster-Dokumentation

Permanent link:

https://hpc.tu-berlin.de/doku.php?id=hpc:scheduling:slurm\_commands&rev=1727355496

Last update: 2024/09/26 14:58



https://hpc.tu-berlin.de/ Printed on 2025/10/26 18:22