

## Slurm Commands

### Start Jobs

#### srun

This is the simplest way to run a job on a cluster. Initiate parallel job steps within a job or start an interactive job (with `-pty`).

#### salloc

Request interactive jobs/allocations. When the job is started a shell (or other program specified on the command line) it is started on the submission host (Frontend). From this shell you should use `srun` to interactively start a parallel applications. The allocation is released when the user exits the shell.

#### sbatch

Submit a batch script. The script will be executed on the first node of the allocation. The working directory coincides with the working directory of the sbatch directory. Within the script one or multiple `srun` commands can be used to create job steps and execute parallel applications.

### Examples

```
# General:
sbatch --job-name=<name of job shown in queue> -N <num nodes> --ntasks-per-
node=<spawned processes per node> /path/to/sbatch.script.sh

# A start date/time can be set via the --begin parameter:
--begin=16:00
--begin=now+1hour
--begin=now+60 (seconds by default)
--begin=2010-01-20T12:34:00
```

A sbatch script of the command above would look like

```
#!/bin/bash
#SBATCH --job-name=<name of job shown in queue> -N <num nodes>
#SBATCH -N <num nodes>
#SBATCH --ntasks-per-node=<spawned processes per node>
#SBATCH --begin=2010-01-20T12:34:00

/path/to/sbatch.script.sh
```

For more information see `man sbatch`. All parameters used there can also be specified in the job script itself using `#SBATCH`.

Also, more examples can be found [here](#).

## Check the status of your job submissions

```
squeue --me
```

## Check the status of nodes

```
sinfo
```

## Canceling jobs

On allocation, you will be notified of the job ID. Also, within your scripts and shells (if allocated via salloc) you can get the ID via the `$SLURM_JOBID` environment variable. You can use this ID to cancel your submission:

```
scancel <jobid>
```

## Slurm Cheat Sheet

A summary of the most common commands can be found [here](#).

From:

<https://hpc.tu-berlin.de/> - **HPC-Cluster-Dokumentation**

Permanent link:

[https://hpc.tu-berlin.de/doku.php?id=hpc:scheduling:slurm\\_commands](https://hpc.tu-berlin.de/doku.php?id=hpc:scheduling:slurm_commands)

Last update: **2024/10/25 15:03**

